

- Why pollinators are important
- How to offer habitat. Steps.
- Benefits of pollinator habitat
- Maintaining what you create
- Resources available




Importance of Pollinators

- Butterflies, moths, bees, and other pollinators are beneficial insects that provide the ecological service of pollination.
 - ~85% of the world's flowering plants depend on animals, mostly insects, for pollination
 - ~87% of the world's 124 most common cultivated crops
 (i.e., 70%) are reliant on animal pollinators
 - U.S. has ~100 crops that rely on animal pollination
 - Many of the plants that pollinators enjoy also benefit livestock grazing
 - Insect-pollinated forage plants such as alfalfa and clover provide livestock feed
 - Contribute to the food web
 - Fun to observe in action!

Everybody should have the opportunity to chase a butterfly in their lifetime!

Why they Need YOU!

- Grasslands are one of the most threatened ecosystems in the world.
- In the Great Plains...
 - 50% of shortgrass prairie,
 - 75% of the mixed-grass, and
 - 99% of tallgrass prairie lost.
- Private lands can become part of the solution
 - Lands that are marginal for production can be hi-value for pollinators
 - Precluding the need to list species as E or T can save money and reduce regulations



Look at what you have already and think about your goals



How much of an area do you want to improve?

Go big or go home?



Do you have invasive plants you want to reduce

or remove?



What is the soil and precipitation like at your site?



Are you patient?

Site assessment and some learning from trail and error. It's okay to start small. For example, we know that monarch butterflies regularly find and use milkweed growing in relatively small flower gardens in the city.

■ Site Preparation

- Important step not to overlook
- May have to spray, cut, burn, or otherwise deal with weedy, non-native plants first
 - If you use herbicides, may have to wait several months before planting the area
 - Sites currently covered in grass and vegetation can be the most challenging to work with
- In restorations, consider a cover crop first to prep the soil

Depends on herbicide selected. Some may only require you to wait a couple months, others it's recommended you wait more than a year because of residual effects of the herbicide. But, check what you have before deciding to broadcast spray. There may be some great plants already growing that you want to maintain. Cover cropping suppresses unwanted weeds but is a longer timeline. Buckwheat is appealing to pollinators, and I hear is also palatable to cattle.

▶Time to Plant!

- So many possibilities
- Choose native grassland plants that offer
 - Floral resources for nectaring spring through fall
 - Nesting material
 - Structure for cover
- Broadcast seeding or no-till drill
- Fall, winter, or spring can work
- Many of these plant species are also good for livestock forage!

Mixes

- Greater diversity of species = more pollinators
- Minimum of 9 plant species but 20+ much better
- More forbs than grass in areas targeted for pollinators
- For larger spaces or fields, use a diverse seed mix at 100–150 seeds per ft.²
- Consider supplementing seed mix with green plants
 - Some seeds may be eaten, washed away, or just won't germinate

Grass can sometimes overtake areas that do not already have a good mixture of forbs present, so in areas being enhanced or restored, choose a mixture preferably more than half forbs



Host Plants

- ▼ Violets for Regal Fritillaries
 - Resilient once established in sun or shade
 - Rotate hayed areas within a larger tract to provide refuge
 - Avoid burning in May when larva procure violets
 - Big and Little Bluestems for Iowa Skippers
 - Leadplant for Underwing Moths
 - Hi protein for grazers
 - Milkweeds for Monarchs
 - Any species of milkweed will do



Have some in areas for pollinators; I put together a list of host plants for Nebraska's at-risk pollinators that's available online. I'll share the link at the end of my presentation.






Late spring blossoms, prefers full sun and can grow in dry conditions



Long blooming period. Some species have white, pink, or purple blooms. Popular with the bumble bees like the American Bumble Bee.



You'll also hear people call this plant hoary verbena. It grows in full sun and also has a long blooming period. Keep some around for pollinators.




Tend to bloom later in summer in full to partial sun. The larvae of at-risk underwing moth species like the Married and Whitney underwings will feed on leadplant. It also supports fall migration of the monarch. Milkweeds don't get them to MX!



Thistles produce copious amounts of nectar. Can identify natives by using the flow chart/key at NEweed.org. Be careful when you spray the non-native thistles that there aren't actively foraging fritillaries on them.

- Prairie Junegrass (Koeleria macrantha)
- A cool season grass that offers nesting material/structure for native bees
- Good cattle forage

17




The purpose of the plan is to collaborate with stakeholders to support populations of monarchs and other at-risk pollinators, as well as their ecological services, in Nebraska.

SUPPLEMENTARY APPENDIX 1: List of Plants Native to Nebraska for Pollinators

Herbs/forbs: Arum Family							
Common name	Scientific name	Sun exposure ^a	Soil moisture ^b	Soil description	Height (ft)	Bloom period	Notes
Jack in the pulpit	Arisaema triphyllum	S-P	A–W	sand, loam, clay	1–2	Mar–Jun	Pulpit-like flower provides red berries in late summer; woodland plant
bearded beggarticks	Bidens aristosa	P-F	A–W	various soils except very sandy	1–4	Jul–Sept	Flowers yellow; 2-pronged bur

outdoornebraska.gov/MonarchConservationPlan/

I included an appendix in the pollinator plan to make suggestions for native plants to attract pollinators. Plants are listed by Family and Scientific name under growth habit such as forbs, graminoids, shrubs, or trees. I also included each plant's sun, soil, and moisture preferences, growth height, blooming period, and descriptive comments. Plants that are Tier 1 are indicated with a superscript. Larval host plants for at-risk pollinators are given in a separate table in the pollinator plan. The appendix is 88 pages long and includes over 225 plants but is still only a sample of native plants appropriate for pollinators!




I can barely fit all the benefits on 1 slide! Long roots of grassland plants reduce soil erosion; those long roots allow native prairie plants to generally be better adapted to low and variable precipitation. Dry years are going to be challenging, but if you have a lot of vegetation that can tolerate drier conditions, that can help you come up with your drought plan. Visually pleasing to see the native forbs once they are established and to see the pollinators they attract.


Maintaining Your Investment

- Regular maintenance is HIGHLY recommended
 - Prescribed fire
 - Strategic grazing (ex. short duration, high intensity in spring or fall)
 - Opportunity for grazing practices to improve biodiversity
 - Mowing/haying (aim to avoid peak times for monarch larvae)
 - Targeted herbicide spraying if necessary
- Minimize drift of pesticides adjacent/near crops

Monarch caterpillars are most active in the summer, so mowing in late spring and again in fall is better.



Sandhills Rangeland Monitoring Cooperative - SRMC



The Nebraska Natural Legacy Project may be able to provide up to 75% cost-share for habitat enhancements in any of these BULs..



Natural Resources Conservation Service

In recent years, more and more pollinator resources and programs have been developed. Lots to digest.

Habitat Fund



Make your milkweed count for Nebraska. We want to beat our neighboring states!

Nebraska Monarch Pollinator Initiative



Contacts • Cody Dreier, Pollinator Ecologist

Cody.Dreier@Nebraska.gov

402-471-1755

Sarah Nevison, Natural Legacy Biologist

Sarah.Nevison@Nebraska.gov

402-471-5708

THANK YOU!

Two of my staff people who would be happy to talk with you about your pollinator projects and help direct you toward resources.